



**Armstrong**Flooring™

**Medinpro**®



## Tough as Diamond

- Unique formulation with industrial diamond
- More compacted and tougher coating to protect the vinyl flooring



## Easy to Clean

- Water/oil-based pollutants are difficult to penetrate into flooring
- More economic and quicker cleaning maintenance



## More Durable

- Superb anti-scratching capability
- Double the average coating thickness of competitors
- Excellent user experience in durability



## Anti-Chemical

- Prevent kinds of medicament and strong acid/alkali from damage to flooring
- Tolerate to daily repeated detergent treatment

**DIAMOND**  
**10**<sup>TM</sup>  
**TECHNOLOGY**







K821A-601 Freesia  
WR:W811-628




K821A-630 Blue Waves  
WR:W821-630



\* K821A-622 Porcelain  
\* WR:W821-622




K821A-637 Blue Gulf  
WR:W821-637



\* K821A-507 Green Island  
\* WR:W821-507



K821A-602 Etemal  
WR:W821-602



\* K821A-619 Ayatana  
\* WR:W821-619



\* K821A-623 Sparrow  
\* WR:W821-623




\* K821A-508 Shiyama  
\* WR:W821-508



\* K821A-529 Spring Green  
\* WR:W821-529



\* K821A-521 Bamboo  
\* WR:W821-521



\* K821A-618 Night Sky  
\* WR:W821-618



\* K821A-734 Avail Violet  
\* WR:W821-734



K821A-328 Apricotch  
WR:W821-328



K821A-206 Cream  
WR:W821-206



K821A-205 Mikawhite  
WR:W821-206



\* K821A-402 Radiant  
\* WR:W821-402



K821A-312 Sunlight  
WR:W811-331



K821A-307 Brown Leaf  
WR:W821-307



K821A-207 Milky  
WR:W821-207




\* K821A-401 Blazing  
\* WR:W6353-16




\* K821A-335 Shine Yellow  
\* WR:W821-335




\* K821A-329 Coast  
\* WR:W821-329




\* K821A-403 Kamagawa  
\* WR:W821-403



\* K821A-003                      Shadow  
\* WR:W821-003




K821A-001                      Plume  
WR:W821-001



K821A-506                      Steppe  
WR:W821-506



K821A-102                      Coffee Chips  
WR:W851-106




K821A-036                      Cloud Sand  
WR:W821-036



K821A-101                      Tan  
WR:W821-101



K821A-002                      Dove Rain  
WR:W821-002




\* K821A-004                      Stardust  
\* WR:W821-004




K821A-127                      Ambering  
WR:W821-127



\* K821A-128                      Bakasana  
\* WR:W821-128



K821A-005                      Graphite  
WR:W821-005



\* K821A-006                      Particle  
\* WR:W821-006






DIAMOND 10™ Coated Heterogeneous Vinyl Sheet

# MEDINPRO®

The soft palette of this homogeneous product works well in medical environments and is designed for sterile and aseptic areas. With the combination of Medintone's homogeneous construction and unique Diamond 10™ technology, it is the perfect solution for your high-traffic area where cleanliness, durability, maintenance are the focus.

## Technical Data

Characteristics	Standard	Unit	Result
Type of flooring	ISO 10581		Homogeneous Sheet
Material			Polyvinyl chloride
Coating			Diamond 10™
<b>Safety criteria</b>			
Flammability	EN 13501-1	class	Bfl-s1
Slip resistance	DIN 51130 / DIN EN 16165	group	R9
Dynamic coefficient of friction	EN 13893 / EN 14041	class	DS
<b>Performance behaviour</b>			
Sheet width	ISO 24341-EN 426	m	2
Sheet length	ISO 24341-EN 426	m	15/20
Overall thickness	ISO 24346-EN 428	mm	2.0
Wearlayer thickness	ISO 24390-EN 429	mm	2.0
Total weight	ISO 23997-EN 430	kg/m <sup>2</sup>	2.69
Wear resistance	EN 649	group	T
Binder conertert	EN ISO10581	Type	Type I
Residual indentation	ISO 24343-1-EN433	mm	0.03
Dimensional stability	ISO 23999-EN 434	-	X: <0.4% Y: <0.4%
Impact sound insulation	EN ISO 717-2	dB	3
Color fastness	ISO 105-B02	rating	≥ 6
Resistance to staining	EN 423		No Stain 0
<b>Classification</b>			
Domestic	ISO 10874-EN 685	class	23 heavy duty
Commercial	ISO 10874-EN 685	class	34 very heavy duty
Industrial	ISO 10874-EN 685	class	43 heavy duty
<b>Additional property</b>			
Castor Chair  ✓	Antistatic Behaviour  ✓		
Underfloor Heating  ✓	Chemical Resistance  ✓		

# Armstrong Flooring™

Walk On. Walk Strong.™

[www.armstrongflooring.asia](http://www.armstrongflooring.asia)  
400-606-0866

Medinpro®

YS-SF-Medinpro-0423-HK Printed in China